(FILE 'HOME' ENTERED AT 08:18:30 ON 16 AUG 2002)

```
FILE 'USPATFULL' ENTERED AT 08:18:52 ON 16 AUG 2002
          17871 S 709/?/NCL
L1
           5346 S L1 AND (STREAM?)
L2
           1893 S L2 AND (SCRIPT? OR JAVA OR APPLET OR AGENT)
L3
            10 S L3 AND (ADJUST? (3W) REQUEST)
L4
            131 S L3 AND ((ADAPT? OR ADJUST? OR CHANG? OR MODIF?) (P) REQUEST
L5
             0 S L3 AND ((ADAPT? OR ADJUST? OR CHANG? OR MODIF?) (3W)
L6
REQUEST
              O S L3 AND ((ADAPT? OR ADJUST? OR CHANG? OR MODIF?) (5W)
L7
REQUEST
              O S L3 AND ((ADAPT? OR ADJUST? OR CHANG? OR MODIF?) (10W)
L8
REQUEST
            131 S L3 AND ((ADAPT? OR ADJUST? OR CHANG? OR MODIF?) (P) REQUEST
L9
L10
             3 S L3 AND ((ADAPT? OR ADJUST? OR CHANG? OR MODIF?) (P) REQUEST
(
              5 S L3 AND ((ADAPT? OR ADJUST? OR CHANG? OR MODIF?) (20W)
L11
REQUEST
             4 S L3 AND ((DYNAMIC? OR ADAPT? OR ADJUST? OR CHANG? OR MODIF?)
L12
Α
L13
             3 S L12 NOT L11
```

-	1	"5373375". PN.		USPAT	2001/11/04 14:20
-	1	"5918013". PŅ.		USPAT	2001/11/04 14:21
-	7006	(client capabili	ties).ab.	USPAT	2001/11/04 14:36
-	0	(client adj capa	bilities).ab.	USPAT	2001/11/04 14:36
-	1	(client adj capa	bilit\$).ab.	USPAT	2001/11/04 14:40
-	61	709/202,203,204, and scal\$.ab.	217, 219, 228, 231, 232, 246, 247	7.LS₽&Tccls.	2001/11/04 14:41
-	30		, 217, 219, 228, 231, 232, 246, 24	170\$PA87.ccls.	
			, 217, 219, 228, 231, 232, 246, 24	17, 248. ccl s.	14.50
CAMPAN/opin	ek(Marke) lid staning qalliylare bodaraq e	sisis 4987139.pn.	<i>0.)</i>	USPAT	2001/11/04 15:02
		6052719.pn.		USPAT	2001/11/04 15:05
		5870089.pn.		USPAT	2001/11/04 15:13
	6	(thin adj client).ab.	USPAT	2001/11/04 15: 26
		6049831.pn.		USPAT	2001/11/04 15:19
	1	"5918014". PN.		USPAT	2001/11/04 15:16
		"5903816".PN.		USPAT	2001/11/04 15:16
	1	"5901286". PN.		USPAT	2001/11/04 15:16
	1	"5805815". PN.		USPAT	2001/11/04 15:16
	1	"5805815".PN.		USPAT	2001/11/04 15:16
		"5748188". PN.	,	USPAT	2001/11/04 15:17
	1	<u>"5</u> 748188". PN.		USPAT	2001/11/04 15:17
-	1	"5745909". PN.		USPAT	2001/11/04 15:17

-	1	"5742762". PN.	USPAT	2001/11/04 15:17
-	1	"5727159". PN.	USPAT	2001/11/04 15:17
-	1	"5727159". PN.	USPAT	2001/11/04 15:17
-	1	"5654886". PN.	USPAT	2001/11/04 15:17
-	1	"5457776". PN.	USPAT	2001/11/04 15:17
-	1	6112192pn.	USPAT	2001/11/04 15:19
-	1	6112192.pn.	USPAT	2001/11/04 15:20
-	1	6122658.pn.	USPAT	2001/11/04 15:21
-	1	6263346.pn.	USPAT	2001/11/04 15:23
-	1	5802530.pn.	USPAT	2001/11/04 15:23
-	7	709/202, 203, 204, 217, 219, 228, 231, 232, 246, 24 and (thin). ab.	7 L \\$₽8 ATcc l s.	2001/11/04 15:26
-	3	(1111). ab. (709/202, 203, 204, 217, 219, 228, 231, 232, 246, 2 and (thin). ab.) not ((thin adj	47USPAN.ccls.	
-	34	7096202, 203) 204, 217, 219, 228, 231, 232, 246, 24 and (utilization). ab.	7 LOSEPSATccIs.	2001/11/04 16:16
-	103	"5748188". PN. or (((709/248 709/247 709/246 709/232 709/231 709/228	USPAT	2001/11/04 16:15
		709/219 709/217 709/204 709/203 709/202). CCLS.) and (scalable).ab.) or		
		(((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217		
		709/204 709/203 709/202). CCLS.) and (characteristic and client).ab.) or		
		(((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217		
		709/204 709/203 709/202). CCLS.) and caldwell.xa.) or ((((709/248 709/247		
		709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203		
		709/202). CCLS.) and scal \$. ab.) not (((709/248 709/247 709/246 709/232		
		\cap-709/231 \tau-709/228 \tau-709/219 \tau-709/217 \\ \tau-709/204 \tau-709/203 \tau-709/202). CCLS.) and		
_	148	(scalable).ab.)) 709/202,203,204,217,219,228,231,232,246,24	7 LUS 1298ATccls	2001/11/04
	147	and (parameter\$).ab. (((709/248 709/247 709/246 709/232	USPAT	16: 16 2001/11/04
:		(((/09/248 709/247 709/240 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and	551111	16:18
		(((709/248 709/247 709/246 709/232		
		709/231 709/228 709/219 709/217		
		709/204 709/203 709/202). CCLS.) and (scalable).ab.) or (((709/248 709/247		
		709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203		
		709/202). CCLS.) and (characteristic and client). ab.) or (((709/248 709/247		
		709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203		
		709/202).CCLS.) and caldwell.xa.) or ((((709/248 709/247 709/246 709/232		
		709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and		
		scal \$.ab.) not (((709/248 709/247 709/246 709/232 709/231 709/228		
		709/219 709/217 709/204 709/203		
	l	709/202). CCLS.) and (scalable).ab.)))		

-		[((((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and (parameter\$).ab.) not ("5748188".PN. or (((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and (scalable).ab.) or (((709/248 709/247 709/246 709/232 709/231 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and (characteristic and client).ab.) or (((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and caldwell.xa.) or (((709/248 709/247 709/246 709/232 709/231 709/232 709/231 709/232 709/231 709/248 709/247 709/246 709/203 709/202). CCLS.) and scal\$.ab.) not (((709/248 709/247 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/246 709/232 709/231 709/228 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and cpu.ab.	USPAT	2001/11/04 16:18
	1	((((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and (parameter\$).ab.) not ("5748188".PN. or (((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and (scalable).ab.) or (((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and (characteristic and client).ab.) or (((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and caldwell.xa.) or (((709/248 709/247 709/246 709/232 709/247 709/246 709/232 709/219 709/217 709/204 709/232 709/231 709/228 709/231 709/224 709/232 709/246 709/232 709/231 709/2247 709/246 709/232 709/231 709/246 709/232 709/231 709/247 709/246 709/232 709/231 709/223 709/247 709/246 709/232 709/231 709/223 709/202). CCLS.) and scal\$.ab.) not (((709/248 709/247 709/248 709/247 709/246 709/232 709/231 709/228 709/231 709/203 709/202). CCLS.) and load.ab.	USPAT	2001/11/04 16:19
	29	((((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and (parameter\$).ab.) not ("5748188".PN. or (((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and (scalable).ab.) or (((709/248 709/247 709/246 709/232 709/231 709/228 709/231 709/228 709/219 709/217 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and (characteristic and client).ab.) or (((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and caldwell.xa.) or (((709/248 709/247 709/246 709/232 709/231 709/231 709/232 709/231 709/231 709/232 709/231 709/231 709/232 709/231 709/231 709/232 709/231 709/231 709/232 709/231 709/231 709/232 709/231 709/231 709/204 709/203 709/204 709/203 709/204 709/203 709/204 709/203 709/204 709/203 709/204 709/203 709/204 709/203 709/202). CCLS.) and calable).ab.))) and client.ab.	USPAT	2001/11/04 16: 22

	_		
132	("5748188". PN. or (((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and (scalable).ab.) or (((709/248 709/247 709/246 709/232 709/231 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and (characteristic and client).ab.) or (((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and caldwell.xa.) or (((709/248 709/232 709/219 709/217 709/204 709/232 709/202). CCLS.) and caldwell.xa.) or (((709/248 709/247 709/246 709/232 709/219 709/217 709/204 709/203 709/202). CCLS.) and scal\$.ab.) not (((709/248 709/247 709/246 709/232 709/201 709/204 709/203 709/202). CCLS.) and (scalable).ab.)) or ((((709/248 709/247 709/246 709/232 709/247 709/246 709/232 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and (parameter\$).ab.) not ("5748188".PN. or ((709/248 709/247 709/246 709/232 709/231 709/228 709/231 709/224 709/246 709/232 709/231 709/224 709/246 709/232 709/231 709/224 709/246 709/232 709/231 709/224 709/246 709/232 709/231 709/224 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/228 709/219 709/217 709/204 709/228 709/219 709/217 709/204 709/228 709/219 709/217 709/204 709/228 709/219 709/217 709/204 709/228 709/219 709/217 709/204 709/228 709/219 709/217 709/204 709/228 709/219 709/217 709/204 709/228 709/219 709/217 709/204 709/228 709/219 709/217 709/204 709/228 709/219 709/217 709/204 709/228 709/219 709/217 709/204 709/228 709/219 709/217 709/204 709/203	USPAT	2001/11/04 16: 22
	client).ab.) or (((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and caldwell.xa.) or ((((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and		
- 17	scal \$. ab.) not (((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and (scalable).ab.)))) and client.ab.) (characteristic and client).ab.	USPAT	2001/11/04 16:23

- 12	((characteristic and client).ab.) not	USPAT	2001/11/04
	(("5748188".PN. or (((709/248 709/247		16: 25
	709/246 709/232 709/231 709/228	1	
	709/219 709/217 709/204 709/203		
	709/202). CCLS.) and (scalable). ab.) or		
	(((709/248 709/247 709/246 709/232		
	709/231 709/228 709/219 709/217		
	709/204 709/203 709/202). CCLS.) and		
	(characteristic and client).ab.) or		
	(((709/248 709/247 709/246 709/232		
	709/231 709/228 709/219 709/217		
	709/204 709/203 709/202). CCLS.) and		1
1	caldwell.xa.) or ((((709/248 709/247		
	709/246 709/232 709/231 709/228		
	709/219 709/217 709/204 709/203		
	709/202). CCLS.) and scal \$. ab.) not		
	(((709/248 709/247 709/246 709/232		
	709/231 709/228 709/219 709/217		1
	709/204 709/203 709/202). CCLS.) and		
	(scalable).ab.))) or (((((709/248		
	709/247 709/246 709/232 709/231		
	709/228 709/219 709/217 709/204		
	709/203 709/202). CCLS.) and		
	(parameter\$).ab.) not ("5748188".PN. or		
	(((709/248 709/247 709/246 709/232		
	709/231 709/228 709/219 709/217		
į į	709/204 709/203 709/202). CCLS.) and		
	(scalable).ab.) or (((709/248 709/247		
	709/246 709/232 709/231 709/228		
	709/219 709/217 709/204 709/203		
	709/202). CCLS.) and (characteristic and		
	client).ab.) or (((709/248 709/247		
	709/246 709/232 709/231 709/228		
	709/219 709/217 709/204 709/203		
	709/202). CCLS.) and caldwell.xa.) or		
	((((709/248 709/247 709/246 709/232		
	709/231 709/228 709/219 709/217		
	709/204 709/203 709/202). CCLS.) and		
	scal \$.ab.) not (((709/248 709/247		
	709/246 709/232 709/231 709/228		
	709/219 709/217 709/204 709/203		
	709/202). CCLS.) and (scalable).ab.))))		
	and client.ab.))		
<u> </u>	and criticat. au. j)		

			INDAT	2001/11/04
-	144	(((characteristic and client).ab.) not	USPAT	2001/11/04 16:26
		(("5748188".PN. or (((709/248 709/247 709/246 709/232 709/231 709/228		10.20
		709/219 709/217 709/204 709/203		
		709/202). CCLS.) and (scalable). ab.) or		
		(((709/248 709/247 709/246 709/232		
		709/231 709/228 709/219 709/217		
		709/204 709/203 709/202). CCLS.) and (characteristic and client). ab.) or		
		(((709/248 709/247 709/246 709/232		
		709/231 709/228 709/219 709/217		
		709/204 709/203 709/202). CCLS.) and		
		caldwell.xa.) or ((((709/248 709/247		9
		709/246 709/232 709/231 709/228		,
		709/219 709/217 709/204 709/203 709/202). CCLS.) and scal\$.ab.) not		-
		(((709/248 709/247 709/246 709/232		
		709/231 709/228 709/219 709/217		
		709/204 709/203 709/202). CCLS.) and		
		(scalable).ab.))) or ((((709/248)		
		709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204		
		709/203 709/202). CCLS.) and		
		(parameter\$).ab.) not ("5748188".PN. or		
		(((709/248 709/247 709/246 709/232		
		709/231 709/228 709/219 709/217		
		709/204 709/203 709/202). CCLS.) and (scalable) ab) or ((709/248 709/247		}
		(scalable).ab.) or (((709/248 709/247 709/246 709/232 709/231 709/228		
		709/219 709/217 709/204 709/203		
		709/202). CCLS.) and (characteristic and		
		client).ab.) or (((709/248 709/247		,
		709/246 709/232 709/231 709/228		
		709/219 709/217 709/204 709/203 709/202). CCLS.) and caldwell.xa.) or		
		((((709/248 709/247 709/246 709/232		
		709/231 709/228 709/219 709/217		
		709/204 709/203 709/202). CCLS.) and		
		scal\$.ab.) not (((709/248 709/247 709/246 709/232 709/231 709/228		
		709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203		
		709/202). CCLS.) and (scalable).ab.))))		
		and client.ab.))) or (("5748188".PN. or		
		(((709/248 709/247 709/246 709/232		
		709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and		
		$(\text{scalable}).\text{ab.})$ or $(((709/248 \mid 709/247 \mid$		
		709/246 709/232 709/231 709/228		
		709/219 709/217 709/204 709/203		
		709/202). CCLS.) and (characteristic and		
		client).ab.) or (((709/248 709/247 709/246 709/232 709/231 709/228		
		709/219 709/217 709/204 709/203		
		709/202). CCLS.) and caldwell.xa.) or		
		((((709/248 709/247 709/246 709/232		
		709/231 709/228 709/219 709/217 709/204 709/203 709/202). CCLS.) and		
		scal \$.ab.) not (((709/248 709/247		
		709/246 709/232 709/231 709/228		
		709/219 709/217 709/204 709/203		
		709/202). CCLS.) and (scalable). ab.))) or		
		(((((709/248 709/247 709/246 709/232 709/231 709/228 709/219		
		709/217 709/204 709/203		
		709/202). CCLS.) and (parameter\$).ab.) not		
		("5748188". PN. or (((709/248 709/247		
		709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203		
		709/219 709/217 709/204 709/203 709/202). CCLS.) and (scalable).ab.) or		
		(((709/248 709/247 709/246 709/232		
		709/231 709/228 709/219 709/217		
		709/204 709/203 709/202). CCLS.) and		
Search History	7 8	/(characteristic_and_client).ab.) or /(((709/248 3709/247 18709/246 709/232		-
'		709/231 709/228 709/219 709/217		
C:\APPS\EAST\w	worksp	aces\09399065scalable streaming quality bas	ed on charac	teriistics.wsp
, ,	- 1		1	

-	0 (client and version).ab.	USPAT	2002/08/13
	1 `		12.24

- 58	((client and version).ab.) not	USPAT	2001/11/04
	((((characteristic and client).ab.) not	001111	16: 26
	(("5748188". PN. or (((709/248 709/247 709/246 709/232 709/231 709/228		
	709/219 709/217 709/204 709/203		
	709/202). CCLS.) and (scalable). ab.) or		
	(((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217		
	709/204 709/203 709/202). CCLS.) and		
	(characteristic and client).ab.) or		
	(((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217		
	709/204 709/203 709/202). CCLS.) and		
	caldwell.xa.) or ((((709/248 709/247		
	709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203		
	709/202). CCLS.) and scal \$.ab.) not		
	(((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217		
	709/204 709/203 709/202). CCLS.) and		
	(scalable).ab.))) or (((((709/248		
	709/247 709/246 709/232 709/231 709/228 709/219 709/217 709/204		
	709/203 709/202). CCLS.) and		
	(parameter\$).ab.) not ("5748188".PN. or		
	(((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217		
	709/204 709/203 709/202). CCLS.) and		
	(scalable).ab.) or (((709/248 709/247		
	709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203		
	709/202). CCLS.) and (characteristic and		
	client).ab.) or (((709/248 709/247 709/246 709/232 709/231 709/228		
	709/219 709/217 709/204 709/203		
	709/202). CCLS.) and caldwell.xa.) or		
	((((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217		
	709/204 709/203 709/202). CCLS.) and		
	scal \$. ab.) not (((709/248 709/247 709/246 709/232 709/231 709/228		
	709/219 709/217 709/204 709/203		
	709/202). CCLS.) and (scalable).ab.))))		
	and client.ab.))) or (("5748188".PN. or (((709/248 709/247 709/246 709/232		
	709/231 709/228 709/219 709/217		
	709/204 709/203 709/202). CCLS.) and (scalable).ab.) or (((709/248 709/247		
	709/246 709/232 709/231 709/228		
	709/219 709/217 709/204 709/203		
	709/202). CCLS.) and (characteristic and client).ab.) or (((709/248 709/247		
	709/246 709/232 709/231 709/228		
	709/219 709/217 709/204 709/203 709/202). CCLS.) and caldwell.xa.) or		
	((((709/248 709/247 709/246 709/232		
	709/231 709/228 709/219 709/217 709/204 709/203 709/202) CCLS 2nd		
	709/204 709/203 709/202). CCLS.) and scal \$.ab.) not (((709/248 709/247		
	709/246 709/232 709/231 709/228		
	709/219 709/217 709/204 709/203 709/202). CCLS.) and (scalable).ab.))) or		
	(((((709/248 709/247 709/246		
	709/232 709/231 709/228 709/219 709/217 709/204 709/203		
	709/202). CCLS.) and (parameter\$).ab.) not		
	("5748188". PN. or (((709/248 709/247		
	709/246 709/232 709/231 709/228 709/219 709/217 709/204 709/203		
	709/202). CCLS.) and (scalable).ab.) or		
	(((709/248 709/247 709/246 709/232 709/231 709/228 709/219 709/217		
Search History 8	1,709/204 1 709/203 1 709/202) CCIS) and		
bearen history 8	(characteristic and client f.ab.) or	•	
C:\APPS\EAST\worksp	(((709/248 709/247 709/246 709/232 aces\09399065scalable streaming quality bas	ed on charac	teriistics.wsp
1	, , , , , , , , , , , , , , , , , , , ,	1	-==: -================================

-	4134	709/202, 203, 204, 217, 219, 228, 231, 232, 246, 24	7 LSP&Tecls.	2002/02/24 14:53
-	6	5832229.pn. or 5621660.pn. or 6185625.pn. or 6151632.pn. or 6219704.pn. or	USPAT	2002/02/24 14:54
-	1	6122658.pn.	USPAT	2002/08/13
-	74	(client and version).ab.	USPAT	13:19 2002/08/13 14:07
-	2	(client adj characteristic).ab.	USPAT	14:07 2002/08/14 13:10
-	54	(client and scal\$).ab.	USPAT	2002/08/13 14:09
-	74	(client and characteristic).ab.	USPAT	2002/08/14
-	2	((client and characteristic).ab.) and adjust.ab.	USPAT	2002/08/14
-	19	((client and characteristic).ab.) and request.ab.	USPAT	2002/08/14 13:12
-	0	(((client and characteristic).ab.) and request.ab.) and adpat \$.ab.	USPAT	2002/08/14 13:12
-	5	((client and characteristic).ab.) and adapt \$.ab.	USPAT	2002/08/14 13:12
-	124	(client and capabilit\$).ab.	USPAT	2002/08/14 13:16
-	13	((client and capabilit\$).ab.) and adapt\$.ab.	USPAT	2002/08/14 13:17
-	13	(((client and capabilit\$).ab.) and adapt\$.ab.) not (((client and	USPAT	2002/08/14 14:01
-	20	characteristic).ab.) and adapt\$.ab.) (((client and characteristic).ab.) and adjust.ab.) or (((client and	USPAT	2002/08/14 14:01
		characteristic).ab.) and adapt \$.ab.) or (((client and capabilit \$).ab.) and		14.01
-	40	adapt \$.ab.) ((client and capabilit \$).ab.) and	USPAT	2002/08/14
-	0	<pre>(request).ab. (((client and capabilit\$).ab.) and</pre>	USPAT	14: 01 2002/ 08/ 14
		(request).ab.) and (change adj request).ab.		14:02
-	0	(((client and capabilit\$).ab.) and (request).ab.) and (secpnd adj request).ab.	USPAT	2002/08/14 14:02
-	0	(((client and capabilit\$).ab.) and (request).ab.) and (second adj	USPAT	2002/08/14 14:02
-	36	request).ab. (((client and capabilit\$).ab.) and	USPAT	2002/08/15
		(request).ab.) not ((((client and characteristic).ab.) and adjust.ab.) or		08:44
		(((client and characteristic).ab.) and adapt \$.ab.) or (((client and		
-	56	capabilit\$).ab.) and adapt\$.ab.)) ((((client and characteristic).ab.) and	USPAT	2002/08/15 08:33
		adjust.ab.) or (((client and characteristic).ab.) and adapt\$.ab.) or (((client and capabilit\$).ab.) and		00.33
		adapt \$.ab.)) or (((client and capabilit\$).ab.) not		
		((((client and characteristic).ab.) and adjust.ab.) or (((client and		
		characteristic).ab.) and adapt\$.ab.) or (((client and capabilit\$).ab.) and		
-	1	adapt \$.ab.))) (((client or user) and (characteristic or capabilit \$ or attribute or quality) and	USPAT	2002/08/14 14:20
		request).ab.) and ((change or modif\$ or alter or adapt\$) adj2 request).ab.	!	17.20
-	2	(((client or user) and (characteristic or capabilits or attribute or quality) and	USPAT	2002/08/14 14:25
		request).ab.) and ((change or modif\$ or alter or adapt\$) adj3 request).ab.		17.23
		artor or adapt w/ adj 3 request/.av.		L

-	1	((((client or user) and (characteristic or capabilit\$ or attribute or quality) and request).ab.) and ((change or modif\$ or alter or adapt\$) adj3 request).ab.) not (((client or user) and (characteristic or capabilit\$ or	USPAT	2002/08/14 14:25
	171	attribute or quality) and request).ab.) and ((change or modif\$ or alter or adapt\$) adj 2 request).ab.)	USPAT	2002/08/14
-	171	((client or user) and (characteristic or capabilit\$ or attribute or quality) and request).ab.	WPAI	14:49
-	143	(((client or user) and (characteristic or capabilit\$ or attribute or quality) and request).ab.) not ((((client and characteristic).ab.) and adjust.ab.) or (((client and characteristic).ab.) and adapt\$.ab.) or (((client and capabilit\$).ab.) and adapt\$.ab.)) or ((((client and capabilit\$).ab.) and (((client and capabilit\$).ab.) and (((client and capabilit\$).ab.)) and ((client and capabilit\$).ab.)	USPAT	2002/08/15 08:16
		characteristic).ab.) and adjust.ab.) or (((client and characteristic).ab.) and adapt \$.ab.) or (((client and capabilit\$).ab.) and adapt \$.ab.))))		
-	144	(((client or user) and (characteristic or capabilit\$ or attribute or quality) and request).ab.) not ((((client and characteristic).ab.) and adjust.ab.) or (((client and characteristic).ab.) and adapt\$.ab.) or (((client and capabilit\$).ab.) and adapt\$.ab.)) or (((client and capabilit\$).ab.) and (((client and capabilit\$).ab.) and (((client and characteristic).ab.)) and adjust.ab.) or (((client and characteristic).ab.) and adjust.ab.) or (((client and characteristic).ab.)) and adapt\$.ab.) or (((client and capabilit\$).ab.))	USPAT	2002/08/15
-	4693	capabilit \$).ab.) and adapt \$.ab.)))) 709/202,203,204,217,219,228,231,232,246,24		2002/08/15 08:19
-	26	((((client or user) and (characteristic or capabilit\$ or attribute or quality) and request).ab.) not ((((client and characteristic).ab.) and adjust.ab.) or (((client and characteristic).ab.) and adapt\$.ab.) or (((client and capabilit\$).ab.) and adapt\$.ab.)) or ((((client and capabilit\$).ab.) and (request).ab.) not ((((client and characteristic).ab.) and adjust.ab.) or (((client and characteristic).ab.) and	USPAT	2002/08/15 08:19
-		(((client and characteristic).ab.) and adjust labs). ab. ()(ahdeadapn\$.ab.)))) and adjust labs). ab. ()(ahdeadapn\$.ab.)))) ahdracteristic).ab.) and adapt\$.ab.) or 7006202n203n2004apabili19\$228b231,2aa,246,24 adapt\$.ab.)) or (((client and capabilit\$).ab.)) and (request).ab.) not (((client and characteristic).ab.)) and adjust.ab.) or (((client and characteristic).ab.) or (((client and characteristic).ab.)) and adapt\$.ab.)) or (((client and capabilit\$).ab.)) and adapt\$.ab.)))	USPAT 7,248.ccls.	2002/08/15 08: 32
-	0	(request and qos).ti.	USPAT	2002/08/15 08:44

-	38	((((client and characteristic).ab.) and	USPAT	2002/08/15
		adjust.ab.) or (((client and		08: 33
		characteristic).ab.) and adapt \$.ab.) or		
		(((client and capabilit\$).ab.) and adapt\$.ab.)) or (((client and		
	ŀ	capabilit\$).ab.) and (request).ab.) not		
	İ	((((client and characteristic).ab.) and		
		adjust.ab.) or (((client and		
		characteristic).ab.) and adapt\$.ab.) or		
		(((client and capabilit\$).ab.) and		
	16	adapt \$.ab.)))	USPAT	2002/08/15
-	10	(request and qos).ab.	WFAI	08:44
-	1	((request and qos).ab.) and	USPAT	2002/08/15
		709/202, 203, 204, 217, 219, 228, 231, 232, 246, 24	7,248.ccls.	08:44
-	13874	709/\$.ccls.	USPAT	2002/08/15
1	0.50		1 m n 4 m	09:57
-	352	709/\$.ccls. and (broadcast\$).ab.	USPAT	2002/08/15 09:57
	36	(709/\$.ccls. and (broadcast\$).ab.) and	USPAT	2002/08/15
	30	(group or geographic\$ or demographic\$ or	W1711	09:59
		region). ab.		
-	12	(request and broadcast\$ and schedul\$).ab.	USPAT	2002/08/15
				10:01
-	43	(request and broadcast\$ and (schedul\$ or	USPAT	2002/08/15
1_	11	manag\$ or queu\$)).ab. ((request and broadcast\$ and (schedul\$ or	USPAT	10:02 2002/08/15
-	11	manag\$ or queu\$)).ab.) and 709/\$.ccls.	wi Ai	10:02
-	77	((709/\$.ccls. and (broadcast\$).ab.) and	USPAT	2002/08/15
		(group or geographic\$ or demographic\$ or		10:07
		region).ab.) or ((request and broadcast\$		
		and schedul \$). ab.) or ((request and		
		broadcast\$ and (schedul\$ or manag\$ or		
1_	6	queu\$)).ab.) 709/\$.ccls. and (adapt\$ adj3 request).ab.	USPAT	2002/08/15
		7007 \$. ccrs. and (adapt \$\pi\$ adj 5 request). ab.	WIAI	10:15
-	228	709/\$.ccls. and (adapt\$ adj3 request)	USPAT	2002/08/15
				10:15
-	2	6173327.pn. or 6058459.pn.	USPAT	2002/08/15
}	45	700/\$ asla and (adam) \$ as	LICDATE	10:20
-	65	709/\$.ccls. and (adapt\$ same request same stream\$)	USPAT	2002/08/15
-	1	(709/\$.ccls. and (request and	USPAT	2002/08/15
	-	stream\$).ab.) and (performance).ab.	001111	11:36
-	1	(709/\$.ccls. and (request and	USPAT	2002/08/15
		stream\$).ab.) and (performance).ab.		11:36
-	114	709/\$.ccls. and (request and stream\$).ab.	USPAT	2002/08/15
	114	709/\$.ccls. and (request and	USPAT	13:20 2002/08/15
1	114	performance).ab.	WIMI	14:12
-	38	(709/\$.ccls. and (request and	USPAT	2002/08/15
		performance).ab.) and stream		13:21
-	5	((709/\$.ccls. and (request and	USPAT	2002/08/15
	,,,	performance).ab.) and stream) and applet	TIDDAM	13:21
-	101	709/\$.ccls. and ((client or user) and (characteristic or performance or	USPAT	2002/08/16 08:23
		capabilit\$) and request).ab.		00.23
-	31	(709/\$.ccls. and ((client or user) and	USPAT	2002/08/16
		(characteristic or performance or		08:15
		capabilit\$) and request).ab.) and stream		
 -	0	(709/\$.ccls. and ((client or user) and	USPAT	2002/08/16
-	512	(quality near3 request)).ab.) and stream (709/\$.ccls. and (stream).ab.) and stream	USPAT	08:11 2002/08/16
<u> </u>] 312	(1051 4. Cols. and (stream). au. j and stream	WIMI	08:13
-	0	((709/\$.ccls. and (stream).ab.) and	USPAT	2002/08/16
:		stream) and (quality near3 request).ab.	·· 	08:14
-	368	((709/\$.ccls. and (stream).ab.) and	USPAT	2002/08/16
	100	stream) and (request)	TIDDAM	08:14
-	102	((709/\$.ccls. and (stream).ab.) and stream) and (request).ab.	USPAT	2002/08/16
Ļ		screamy and (request). av.		08:14

					_
-	9	(((709/\$.ccls. and (stream).ab.) and	USPAT	2002/08/16	
1		stream) and (request).ab.) and		08:15	
		(characteristic or performance or			-
		canabilit\$), ab.			- 1